L Number	Hits	Search Text	DB	Time stamp
33	11	((("5528698") or ("6116640") or ("6198998") or ("6459974") or ("5890085") or ("6026340") or ("6272411") or ("5051751") or ("4179696") or ("6018693") or ("4625329") or ("5229943") or ("5256904")).PN.) and (predict$5 or estimat$4 or approximat$4)	USPAT; US-PGPUB	2004/08/08 17:39
34	12	(US-6529809-$ or US-6422595-$ or US-6397136-$ or US-6002975-$ or US-6002974-$ or US-6431592-$ or US-6292727-$ or US-5673932-$ or US-5570301-$ or US-5280530-$).did. and (predict$5 or estimat$4 or approximat$4)	USPAT; US-PGPUB	2004/08/08 17:14
35	4	(((US-6529809-$ or US-6422595-$ or US-6397136-$ or US-6002975-$ or US-6002974-$ or US-6431592-$ or US-6292727-$ or US-5673932-$ or US-5570301-$ or US-5280530-$).did. or (US-20020082756-$).did. or (US-2002000753-$).did.) and kalman$2	USPAT; US-PGPUB	2004/08/08 17:14
32	15	(("5528698") or ("6116640") or ("6198998") or ("6459974") or ("5890085") or ("6026340") or ("6272411") or ("5051751") or ("4179696") or ("6018693") or ("4625329") or ("5229943") or ("5256904")).PN.	USPAT; US-PGPUB	2004/08/08 17:36
36	1	("6662093").PN.	USPAT; US-PGPUB	2004/08/08 17:24
37	8	(("5074583") or ("5366241") or ("5398185") or ("5446661") or ("5413378") or ("5490069") or ("5983147") or ("6005958")).PN.	USPAT; US-PGPUB	2004/08/08 17:36
38	7	(("6005958")).PN.	USPAT; US-PGPUB	2004/08/08 17:39
64	35	((US-6529809-$ or US-6422595-$ or US-6397136-$ or US-6002975-$ or US-6002974-$ or US-6431592-$ or US-6292727-$ or US-5673932-$ or US-5570301-$ or US-5280530-$).did. or (US-20020082756-$ or US-2002000753-$).did.) and bosch$3	USPAT; US-PGPUB	2004/08/08 19:47
65	5	(((US-6529809-$ or US-6422595-$ or US-6397136-$ or US-6002975-$ or US-6002974-$ or US-6431592-$ or US-6292727-$ or US-5673932-$ or US-5570301-$ or US-5280530-$) or (US-20020082756-$ or US-2002000753-$).did.) and bosch$3	USPAT; US-PGPUB	2004/08/08 19:48
-	8111	((382/107.291) or (352/39) or (307/10.1) or (701/36,45,49) or (280/728.1) or (348/94,169,143,154,155)).CCLS.	USPAT; US-PGPUB	2004/08/05 14:42
-	1847	(((382/107.291) or (352/39) or (307/10.1) or (701/36,45,49) or (280/728.1) or (348/94,169,143,154,155)) or (731/1.79)).CCLS. and track$3	USPAT; US-PGPUB	2004/08/05 14:42
-	951	(((382/107.291) or (352/39) or (307/10.1) or (701/36,45,49) or (280/728.1) or (348/94,169,143,154,155)) or (731/1.79)).CCLS. and track$3 near5 person$2 or passenger$2 or seat$2)	USPAT; US-PGPUB	2004/08/05 14:43
-	140	((((382/107.291) or (352/39) or (307/10.1) or (701/36,45,49) or (280/728.1) or (348/94,169,143,154,155)) or (731/1.79)).CCLS.) and (track$3 near5 person$2 or passenger$2 or seat$2)	USPAT; US-PGPUB	2004/08/05 14:44
-	135	(((((382/107.291) or (352/39) or (307/10.1) or (701/36,45,49) or (280/728.1) or (348/94,169,143,154,155)) or (731/1.79)).CCLS.) and (track$3 near5 person$2 or passenger$2 or seat$2) and (airbag$2 or (air adj bag$2))	USPAT; US-PGPUB	2004/08/05 14:45
-	62	((((((382/107.291) or (352/39) or (307/10.1) or (701/36,45,49) or (280/728.1) or (348/94,169,143,154,155)) or (731/1.79)).CCLS.) and (track$3 near5 person$2 or passenger$2 or seat$2)) and (airbag$2 or (air adj bag$2))) and (occupant$2 or (motion$2 or movement$2 or moving$2 or position$3)) and predict$5	USPAT; US-PGPUB	2004/08/05 14:46

#	Hits	Search Query	DBs	Date/Time
37		(((((((382/107,291) or (352/39) or (307/10.1) or (701/36,45,49) or (280/728.1) or (348/94,169,143,154,155) or (700/13,56,64,66) or (340/686.1,815.58) or (356/614) or (731/1.79)).CCLS.) and track$3) and (occupant$2 or person$2 or movement$2 or moving$2 or position$3))) and (airbag$2 or (air adj bag$2))) and (occupant$2 or person$2 or passenger$2 or seat$2)) and @rlad<20010710	USPAT; US-PGPUB	2004/08/05 14:46
43		(((((((382/107,291) or (352/39) or (307/10.1) or (701/36,45,49) or (280/728.1) or (348/94,169,143,154,155) or (700/13,56,64,66) or (340/686.1,815.58) or (356/614) or (731/1.79)).CCLS.) and track$3) and (occupant$2 or person$2 or movement$2 or moving$2 or position$3))) and (airbag$2 or (air adj bag$2))) and (occupant$2 or person$2 or passenger$2 or seat$2)) and @ad<20010710	USPAT; US-PGPUB	2004/08/05 14:46
55		(((((((382/107,291) or (352/39) or (307/10.1) or (701/36,45,49) or (280/728.1) or (348/94,169,143,154,155) or (700/13,56,64,66) or (340/686.1,815.58) or (356/614) or (731/1.79)).CCLS.) and track$3) and (occupant$2 or person$2 or movement$2 or moving$2 or position$3))) and (airbag$2 or (air adj bag$2))) and (occupant$2 or person$2 or passenger$2 or seat$2)) and @rlad<20010710	USPAT; US-PGPUB	2004/08/05 15:09
48		(((((((382/107,291) or (352/39) or (307/10.1) or (701/36,45,49) or (280/728.1) or (348/94,169,143,154,155) or (700/13,56,64,66) or (340/686.1,815.58) or (356/614) or (731/1.79)).CCLS.) and track$3) and (occupant$2 or person$2 or movement$2 or moving$2 or position$3))) and (airbag$2 or (air adj bag$2))) and (occupant$2 or person$2 or passenger$2 or seat$2)) and @rlad<20010710	USPAT; US-PGPUB	2004/08/05 15:11
20		(((((((382/107,291) or (352/39) or (307/10.1) or (701/36,45,49) or (280/728.1) or (348/94,169,143,154,155) or (700/13,56,64,66) or (340/686.1,815.58) or (356/614) or (731/1.79)).CCLS.) and track$3) and (occupant$2 or person$2 or movement$2 or moving$2 or position$3)) and (airbag$2 or (air adj bag$2))) and (occupant$2 or person$2 or passenger$2 or seat$2)) and predict$5) and @rlad<20010710) and estimat$4	USPAT; US-PGPUB	2004/08/06 11:50
6		(US-6529809-$ or US-6422595-$ or US-6397136-$ or US-6002975-$ or US-6002974-$).did. or (US-2002082756-$).did.	USPAT; US-PGPUB	2004/08/06 11:50
6		(US-6529809-$ or US-6422595-$ or US-6397136-$ or US-6002975-$ or US-6002974-$).did. or (US-2002082756-$).did.	USPAT; US-PGPUB	2004/08/06 12:27
6		((US-6529809-$ or US-6422595-$ or US-6397136-$ or US-6002975-$ or US-6002974-$).did. or (US-2002082756-$).did.) and ((occupant$2 or person$2 or passenger$2 or seat$2) with position$3)	USPAT; US-PGPUB	2004/08/06 12:27
18959		airbag$2 or (air adj bag$2)	USPAT; US-PGPUB	2004/08/06 12:27
2835		(airbag$2 or (air adj bag$2)) and ((occupant$2 or person$2 or passenger$2) near3 position$3)	USPAT; US-PGPUB	2004/08/06 15:43
106		(airbag$2 or (air adj bag$2)) and ((occupant$2 or person$2 or passenger$2) near3 position$3)) and ((estimat$5 or predict$5 or approximat$5) near3 position$3 (occupant$2 or person$2 or passenger$2))	USPAT; US-PGPUB	2004/08/06 15:42
57		((airbag$2 or (air adj bag$2)) and ((occupant$2 or person$2 or passenger$2) near3 position$3)) and ((estimat$5 or predict$5 or approximat$5) near3 position$3 (occupant$2 or person$2 or passenger$2)) and @ad<20010710	USPAT; US-PGPUB	2004/08/06 15:27
45		(((airbag$2 or (air adj bag$2)) and ((occupant$2 or person$2 or passenger$2) near3 position$3)) and ((estimat$5 or predict$5 or approximat$5) near3 position$3 (occupant$2 or person$2 or passenger$2)) and @rlad<20010710	USPAT; US-PGPUB	2004/08/06 12:30

Count	Query	Database	Date
75	(((((airbag$2 or (air adj bag$2)) and ((occupant$2 or person$2 or passenger$2) near3 position$3)) and ((estimat$5 or predict$5 or approximat$5) near3 position$3 near3 (occupant$2 or person$2 or passenger$2))) and @ad<20010710) or ((((airbag$2 or (air adj bag$2)) and ((occupant$2 or person$2 or passenger$2) near3 position$3)) and ((estimat$5 or predict$5 or approximat$5))	USPAT; US-PGPUB	2004/08/06 12:30
15	((((airbag$2 or (air adj bag$2)) and ((occupant$2 or person$2 or passenger$2) near3 position$3)) and ((estimat$5 or predict$5 or approximat$5)) and @ad<20010710) or ((((airbag$2 or (air adj bag$2)) and ((occupant$2 or person$2 or passenger$2) near3 position$3)) and @rlad<20010710)	USPAT; US-PGPUB	2004/08/06 15:41
60	((((airbag$2 or (air adj bag$2)) and ((occupant$2 or person$2 or passenger$2) near3 position$3)) and ((estimat$5 or predict$5 or approximat$5) near3 position$3 near3 (occupant$2 or person$2 or passenger$2))) and @ad<20010710) or ((((airbag$2 or (air adj bag$2)) and ((estimat$5 or predict$5 or approximat$5) near3 position$3 near3 (occupant$2 or person$2 or passenger$2))) and @ad<20010710) or ((((airbag$2 or (air adj bag$2)) and ((occupant$2 or person$2 or passenger$2) near3 position$3)) and ((estimat$5 or predict$5 or approximat$5)) and @ad<20010710) or ((((airbag$2 or (air adj bag$2)) and ((occupant$2 or person$2 or passenger$2) near3 position$3)) and @rlad<20010710)) and ((past or previous$2 or history) adj3 (occupant$2 or person$2 or passenger$2))) and @rlad<20010710)) and ((past or previous$2 or history) adj3 (estimat$5 or predict$5 or approximat$5)))	USPAT; US-PGPUB	2004/08/06 14:39
2861	norton.in.	USPAT; US-PGPUB	2004/08/06 14:43
95	norton.in. and mi	USPAT; US-PGPUB	2004/08/06 14:42
47	norton.in. and (peter near norton)	USPAT; US-PGPUB	2004/08/06 14:41
27	(norton.in. and (peter near norton)) and mi	USPAT; US-PGPUB	2004/08/06 14:42
1	norton.in. and eaton$2	USPAT; US-PGPUB	2004/08/06 14:43
57	((airbag$2 or (air adj bag$2)) and ((occupant$2 or person$2 or passenger$2) near3 position$3)) and kalman$2	USPAT; US-PGPUB	2004/08/06 15:27
14	(((airbag$2 or (air adj bag$2)) and ((occupant$2 or person$2 or passenger$2) near3 position$3)) and @ad<20010710) and kalman$2	USPAT; US-PGPUB	2004/08/06 15:45
40	(((airbag$2 or (air adj bag$2)) and ((occupant$2 or person$2 or passenger$2) near3 position$3)) and (predict$5 near3 position$3 near3 (occupant$2 or person$2 or passenger$2)) and kalman$2	USPAT; US-PGPUB	2004/08/06 15:25
10	(((airbag$2 or (air adj bag$2)) and ((occupant$2 or person$2 or passenger$2) near3 position$3)) and (predict$5 near3 position$3 near3 (occupant$2 or person$2 or passenger$2))) and kalman$2	USPAT; US-PGPUB	2004/08/06 15:27
45	((((airbag$2 or (air adj bag$2)) and ((occupant$2 or person$2 or passenger$2) near3 position$3)) and @ad<20010710) or ((((airbag$2 or (air adj bag$2)) and ((occupant$2 or person$2 or passenger$2) near3 position$3)) and kalman$2	USPAT; US-PGPUB	2004/08/06 15:27
40	((((airbag$2 or (air adj bag$2)) and ((occupant$2 or person$2 or passenger$2) near3 position$3)) or ((((airbag$2 or (air adj bag$2)) and ((occupant$2 or person$2 or passenger$2) near3 position$3)) not ((((airbag$2 or (air adj bag$2)) and (predict$5 near3 position$3 near3 (occupant$2 or person$2 or passenger$2))) and kalman$2)	USPAT; US-PGPUB	2004/08/06 15:31
38	((((airbag$2 or (air adj bag$2)) and @ad<20010710) or ((((airbag$2 or (air adj bag$2)) and ((occupant$2 or person$2 or passenger$2) near3 position$3)) and kalman$2) and ((occupant$2 or person$2 or passenger$2) near3 position$3)) and @rlad<20010710) or ((((airbag$2 or (air adj bag$2)) and ((occupant$2 or person$2 or passenger$2) near3 position$3)) and (predict$5 near3 position$3 near3 (occupant$2 or person$2 or passenger$2)))	USPAT; US-PGPUB	2004/08/06 15:27

Hits	Query	DBs	Date
35	((((((airbag$2 or (air adj bag$2)) and ((occupant$2 or person$2 or passenger$2) near3 position$3)) and kalman$2) and @ad<20010710) or (((((airbag$2 or (air adj bag$2)) and kalman$2) near3 position$3)) and @rlad<20010710)) and (predict$5 near3 position$3 near3 (occupant$2 or person$2 or history) adj2 (estimat$5 or predict$5 or approximat$5))))	USPAT; US-PGPUB	2004/08/06 15:32
8321	(((past or previous$2 or history) adj2 (estimat$5 or predict$5 or approximat$5)) and ((occupant$2 or person$2 or passenger$2) near3 position$3)) and ((occupant$2 or person$2 or history) adj2 (estimat$5 or predict$5 or approximat$5))) and @ad<20010710	USPAT; US-PGPUB	2004/08/06 15:41
381	(((past or previous$2 or history) adj2 (estimat$5 or predict$5 or approximat$5))) and seat$2	USPAT; US-PGPUB	2004/08/06 15:42
104	(((((past or previous$2 or history) adj2 (estimat$5 or predict$5 or approximat$5))) and seat$2) and ((occupant$2 or person$2 or passenger$2) near3 position$3)	USPAT; US-PGPUB	2004/08/06 16:16
37	((((((past or previous$2 or history) adj2 (estimat$5 or predict$5 or approximat$5))) and seat$2) and ((occupant$2 or person$2 or passenger$2) near3 position$3)) and ((estimat$5 or predict$5 or approximat$5) near3 (motion$2 or movement$2 or position$3))) and	USPAT; US-PGPUB	2004/08/06 16:19
23	(((((((past or previous$2 or history) adj2 (estimat$5 or predict$5 or approximat$5))) and seat$2) and ((occupant$2 or person$2 or passenger$2) near3 position$3)) and ((estimat$5 or predict$5 or approximat$5) near3 (motion$2 or movement$2 or position$3))) and	USPAT; US-PGPUB	2004/08/06 16:21
18	((((((past or previous$2 or history) adj2 (estimat$5 or predict$5 or approximat$5))) and seat$2) and ((occupant$2 or person$2 or passenger$2) near3 position$3)) and ((estimat$5 or predict$5 or approximat$5) near3 (motion$2 or movement$2 or position$3))) and @rlad<20010710	USPAT; US-PGPUB	2004/08/06 15:45
29	((((((((past or previous$2 or history) adj2 (estimat$5 or predict$5 or approximat$5))) and seat$2) and @ad<20010710) or (((((past or previous$2 or history) adj2 (estimat$5 or predict$5 or approximat$5))) and seat$2) and ((occupant$2 or person$2 or passenger$2) near3 position$3))) and ((estimat$5 or predict$5 or approximat$5) near3 (motion$2 or movement$2 or position$3)))	USPAT; US-PGPUB	2004/08/06 15:45
20464	(track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2))	USPAT; US-PGPUB	2004/08/06 16:17
1477	((track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2)) and (track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2)) near3 (motion$2 or position$3))	USPAT; US-PGPUB	2004/08/06 16:18
2270	((track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2)) and (track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2)) near3 (motion$2 or position$3))	USPAT; US-PGPUB	2004/08/06 16:25
95	(((((track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2)) and ((estimat$5 or predict$5 or forecast$3) near3 position$3)) near3 (motion$2 or position$3)	USPAT; US-PGPUB	2004/08/06 16:22
204	(((track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2)) and (track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2)) near3 (motion$2 or position$3)) and ((estimat$5 or predict$5 or forecast$3) near3 position$3)	USPAT; US-PGPUB	2004/08/06 16:20
53	(((((track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2)) and ((estimat$5 or predict$5 or forecast$3) near3 position$3)) with (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2)) and @ad<20010710	USPAT; US-PGPUB	2004/08/06 16:25

47	(((((track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2))) and (track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2)) near3 (motion$2 or position$3 or movement$2 or moving$2))) and ((estimat$5 or predict$5 or forecast$3) near3 passenger$2 or driver$2 or operator$2 or user$2))) and @rlad<20010710	USPAT; US-PGPUB	2004/08/06 16:21
72	(((((track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2))) and (track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2)) near3 (motion$2 or position$3 or movement$2 or moving$2))) and ((estimat$5 or predict$5 or forecast$3) near3 passenger$2 or driver$2 or operator$2 or user$2))) and @ad<20010710	USPAT; US-PGPUB	2004/08/06 16:21
70	(((((((track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2))) and (track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2)) near3 (motion$2 or position$3 or movement$2 or moving$2))) and ((estimat$5 or predict$5 or forecast$3) near3 passenger$2 or driver$2 or operator$2 or user$2))) and @ad<20010710) with (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2)) and ((estimat$5 or predict$5 or forecast$3) near3 passenger$2 or driver$2 or operator$2 or user$2))) and (track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2)) near3 (motion$2 or position$3 or movement$2 or moving$2))) and ((estimat$5 or predict$5 or forecast$3) near3 passenger$2 or driver$2 or operator$2 or user$2))) and @ad<20010710) or ((((((track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2))) and (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2)) and ((occupant$2 or (((((past or previous$2 or approximat$5) near3 position$3)) and ((estimat$5 or predict$5 or approximat$5) near3 (motion$2 or movement$2 or position$3))) and @rlad<20010710))	USPAT; US-PGPUB	2004/08/06 16:21
2	(((((((track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2))) and (track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2)) near3 (motion$2 or position$3 or movement$2 or moving$2))) and ((estimat$5 or predict$5 or forecast$3) near3 passenger$2 or driver$2 or operator$2 or user$2))) not ((((((past or previous$2 or history) adj2 (estimat$5 or predict$5 or forecast$3) near3 position$3) with (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2)) and @ad<20010710) or ((((((past or previous$2 or history) adj2 (estimat$5 or predict$5 or forecast$3) near3 (motion$2 or movement$2 or position$3 or movement$2 or movement$2 or approximat$5)) near3 (motion$2 or movement$2 or approximat$5)) near3 (motion$2 or movement$2 or position$3 or movement$2 or approximat$5)) near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2)) and (track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2)) near3 (motion$2 or movement$2 or	USPAT; US-PGPUB	2004/08/06 17:14
5841	(((((((track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2))) and (track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2)) near3 (motion$2 or position$3 or movement$2 or moving$2))) with (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2)) and (((estimat$5 or predict$5 or forecast$3) near3 passenger$2 or driver$2 or operator$2 or user$2))) and ((estimat$5 or predict$5 or approximat$5) near3 (motion$2 or movement$2 or position$3)) and ((past or previous$3) adj2 (estimat$5 or predict$5 or forecast$3))	USPAT; US-PGPUB	2004/08/06 16:24

Hits	Search Query	DBs	Date/Time
1156	(((past or previous$3) adj2 (estimat$5 or predict$5 or forecast$3))) and tracking$2	USPAT; US-PGPUB	2004/08/06 16:24
1156	((((past or previous$3) adj2 (estimat$5 or predict$5 or forecast$3)) and tracking$2) and track$3	USPAT; US-PGPUB	2004/08/06 16:55
129	(((((past or previous$3) adj2 (estimat$5 or predict$5 or forecast$3))) and tracking$2) and track$3) and @ad<20010710	USPAT; US-PGPUB	2004/08/06 16:24
74	((((((past or previous$3) adj2 (estimat$5 or predict$5 or forecast$3))) and tracking$2) and track$3) and (track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2))) and @ad<20010710	USPAT; US-PGPUB	2004/08/06 16:25
58	(((((past or previous$3) adj2 (estimat$5 or predict$5 or forecast$3))) and tracking$2) and (track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2))) and @rlad<20010710	USPAT; US-PGPUB	2004/08/06 16:25
102	((((((past or previous$3) adj2 (estimat$5 or predict$5 or forecast$3))) and tracking$2) and track$3) and (track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2))) or (((((past or previous$3) adj2 (estimat$5 or predict$5 or forecast$3))) and tracking$2) and (track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2))) and @rlad<20010710	USPAT; US-PGPUB	2004/08/06 16:34
17	((((((past or previous$3) adj2 (estimat$5 or predict$5 or forecast$3))) and tracking$2) and track$3) and (track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2))) and seat$3	USPAT; US-PGPUB	2004/08/06 16:34
55	(((((((past or previous$3) adj2 (estimat$5 or predict$5 or forecast$3))) and tracking$2) and track$3) and (track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2))) and @ad<20010710) or (((((((past or previous$3) adj2 (estimat$5 or predict$5 or forecast$3))) and tracking$2) and track$3) and (track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2))) and sens$3	USPAT; US-PGPUB	2004/08/06 16:48
46	((((((((past or previous$3) adj2 (estimat$5 or predict$5 or forecast$3))) and tracking$2) and track$3) and (track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2))) and @ad<20010710) or ((((((((past or previous$3) adj2 (estimat$5 or predict$5 or forecast$3)) not (((((((past or previous$3) adj2 (estimat$5 or predict$5 or forecast$3))) and tracking$2) and track$3) and (track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2))) and @ad<20010710) or (((((((past or previous$3) adj2 (estimat$5 or predict$5 or forecast$3))) and tracking$2) and track$3) and (track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2))) and @rlad<20010710)) and seat$3	USPAT; US-PGPUB	2004/08/06 16:54
436	prediction near updat$3	USPAT; US-PGPUB	2004/08/06 16:55
17	(prediction near updat$3) and (track$3 near5 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2))	USPAT; US-PGPUB	2004/08/06 17:08
10	09/901805	USPAT; US-PGPUB	2004/08/06 17:09

| 3 | (((((((((track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2))) and (track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2) near3 (motion$2 or position$3 or movement$2 or moving$2))) and (((estimat$5 or predict$5 or forecast$3) near3 position$3)) and ((((estimat$5 or predict$5 or forecast$3) near3 position$3) with (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2))) and @ad<20010710) or ((((((track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2))) and (track$3 near3 (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2) near3 (motion$2 or position$3 or movement$2 or moving$2))) and ((estimat$5 or predict$5 or forecast$3) near3 position$3)) with (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2))) and @ad<20010710)) with (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2)) and (((estimat$5 or predict$5 or forecast$3) near3 position$3)) and @ad<20010710)) not (((((((past or previous$2 or history) adj2 (estimat$5 or predict$5 or approximat$5)) and (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2) near3 position$3)) and ((occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2) near3 position$3)) and ((estimat$5 or predict$5 or approximat$5) near3 (motion$2 or movement$2 or position$3))) and @ad<20010710) or ((((((past or previous$2 or history) adj2 (estimat$5 or predict$5 or approximat$5) near3 (motion$2 or movement$2 or position$3)) and (occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2) near3 position$3)) and ((occupant$2 or person$2 or passenger$2 or driver$2 or operator$2 or user$2) near3 position$3)) and ((estimat$5 or predict$5 or approximat$5) near3 (motion$2 or movement$2 or position$3))) and @ad<20010710))) and (updat$3 near2 (estimat$5 or predict$5 or forecast$3)) | USPAT; US-PGPUB | 2004/08/06 17:14 |